

Vision Control®'s cord-free design features multiple control mechanisms that are high-speed, self-reversing, faster to operate and offer ligature-resistant and programmable options.



LIGATURE-RESISTANT COMFORT+ KNOB

Delivers precise and effortless control of louvers.



ADA COMPLIANT



LIGATURE RESISTANT



ACCESSIBLE IN ONE OR TWO SIDED BEHAVIORAL HEALTH APPLICATIONS



LIGATURE-RESISTANT PARABOLIC KNOB

Delivers precise operation.



ADA COMPLIANT



LIGATURE RESISTANT



ACCESSIBLE IN ONE OR TWO SIDED BEHAVIORAL HEALTH APPLICATIONS



REMOTE CONTROL

Provides quick and precise control for multiple panel and out-of-reach installations.



ADA COMPLIANT



LIGATURE RESISTANT



ACCESSIBLE IN ONE OR TWO SIDED APPLICATIONS



LIGATURE-RESISTANT TOUCHLESS SENSOR

Ideal for behavioral health applications. Switch finish may vary.



ADA COMPLIANT



LIGATURE RESISTANT



ACCESSIBLE IN ONE OR TWO SIDED APPLICATIONS



LIGATURE-RESISTANT KEY OPERATOR

Ideal for behavioral health applications.

- ADA COMPLIANT
- LIGATURE RESISTANT
- ACCESSIBLE IN ONE OR TWO SIDED BEHAVIORAL HEALTH APPLICATIONS



THUMBWHEEL

High-speed operation suitable for limited spaces.

- ADA COMPLIANT
- LIGATURE RESISTANT
- ACCESSIBLE IN ONE OR TWO SIDED APPLICATIONS



ALUMINUM KNOB (KNURLED OR SMOOTH)

Delivers precise operation.

- ADA COMPLIANT
- LIGATURE RESISTANT
- ACCESSIBLE IN ONE OR TWO SIDED APPLICATIONS



QUICKGLIDE™

High-speed, slim design operator delivering precise and effortless control.

- ADA COMPLIANT
- LIGATURE RESISTANT
- ACCESSIBLE IN ONE SIDED APPLICATIONS



FLAT ALUMINUM KNOB

Designed for sliding doors.



ADA
COMPLIANT



LIGATURE
RESISTANT



ACCESSIBLE IN
ONE OR TWO
SIDED APPLICATIONS



CRANK HANDLE

Easy to grab handle delivers quick operation.



ADA
COMPLIANT



LIGATURE
RESISTANT



ACCESSIBLE IN
ONE OR TWO
SIDED APPLICATIONS



PLC COMPUTERIZED SYSTEM

Programmable and highly accurate system for large scale projects and intelligent buildings.

Can be connected to energy management systems.



ADA
COMPLIANT



LIGATURE
RESISTANT



ACCESSIBLE IN
ONE OR TWO
SIDED APPLICATIONS